



(12) **United States Patent**
Samson et al.

(10) Patent No.: US 6,448,375 B1
(45) Date of Patent: Sep. 10, 2002

(54) ACTIVE AND INACTIVE CC-CHEMOKINE RECEPTOR

(75) Inventors: Michel Samson, Gentilly (FR); Marc Parmentier, Linkebeek (BE); Gilbert Vassart, Brussels (BE); Frederick Libert, Braine-l'Alleud (BE)

(73) Assignee: Euroscreen S.A., Brussels (BE)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 08/833,752

(22) Filed: Apr. 9, 1997

Related U.S. Application Data

(63) Continuation of application No. 08/810,028, filed on Mar. 3, 1997, now abandoned.

(30) **Foreign Application Priority Data**

Mar. 1, 1996 (EP) 96870021
Aug. 6, 1996 (EP) 96870102

(51) Int. Cl.7 C07K 14/00; C07K 17/00;
C12N 5/06

(52) U.S. Cl. 530/350; 530/351; 435/339.1

(58) Field of Search 530/350, 351,
530/324, 300, 387.9; 514/2, 8, 12; 435/339.1

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,928,881 A	7/1999	Barnette et al.
6,025,154 A	3/2000	Li et al. 435/69.1
6,057,182 A	5/2000	Landau et al. 435/6
6,265,184 B1	7/2001	Gray et al. 435/69.1

6,268,477 B1 7/2001 Gray et al. 530/350

FOREIGN PATENT DOCUMENTS

WO	9623068	• 8/1996
WO	WO 96/39437	12/1996
WO	9722698	• 6/1997
WO	9745543	• 12/1997

OTHER PUBLICATIONS

Combadiere et al, *J. Leukocyte Biol*, 60, 1996, p 147.*
Alkhalil et al, *Science*, 272, 1996, p 1955.*
Feng et al, *Science*, 272, 1996, p 872.*
Dragic et al, *Nature*, 1996, p667, vol. 381.*
Deng et al, *Nature*, 381, 1996, p 661.*
Ruport et al, *JBC* 271(29) 1996, p 17161.*
Ruport et al *J. Leukocyte Biol.* 59, 1996, p 18.*
Coubi et al, *Science*, 270, 1995, p 1811.*
Cohen, *Science*, 275, 1997, p 1261.*
Exploiting the HIV-Chemokine Nexus, *Science*, vol. 275, p. 1261-1264, Feb. 28, 1997.

* cited by examiner

Primary Examiner—Jeffrey Stucker

Assistant Examiner—Jegatheesan Scharaseeyon

(74) *Attorney, Agent, or Firm*—Kathleen Madden Williams; Palmer & Dodge LLP

ABSTRACT

A peptide has an amino acid sequence having more than 80% homology with the amino acid sequence listed as SEQ ID NO:4. A nucleic acid molecule has more than 80% homology with one of the nucleic acid sequences listed as SEQ ID NO:1, SEQ ID NO:2 and SEQ ID NO:3. Ligands, anti-ligands, cells vectors relating to the peptide and/or nucleic acid molecule are also used.

4 Claims, 20 Drawing Sheets